

Revision date:
14.02.2022**BIZOL Technology 5W-30 C3**

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

BIZOL Technology 5W-30 C3

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Motor oil

1.3. Details of the supplier of the safety data sheet

| | | |
|---------------|----------------------|--------------------------------|
| Company name: | BIZOL Germany GmbH | |
| Street: | Martin-Buber-Str. 12 | |
| Place: | D-14163 Berlin | |
| Telephone: | +49 (30) 804 869-0 | Telefax: +49 (30) 804 869-2860 |
| e-mail: | support@bizol.de | |
| Internet: | www.bizol.com | |

1.4. Emergency telephone number:

Germany: +49 (30) 804 869-0 (08.00-17.00, Mo-Fr)
In England and Wales: NHS Direct: 0845 4647 or 111 In Scotland: NHS 24 -
08454 24 24 24 In Republic of Ireland: 01 809 2166

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements**GB CLP Regulation****Special labelling of certain mixtures**

| | |
|--------|---|
| EUH208 | Contains C14-16-18 alkylphenol. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

2.3. Other hazards

No further relevant information available.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Mixture based on mineral oil and hydrocrack synthetic oil (DMSO extract < 3 % as measured by IP 346).

Revision date:
14.02.2022

BIZOL Technology 5W-30 C3

Page 2 of 9

Hazardous components

| CAS No | Chemical name | | | Quantity |
|--------------|--|--------------|------------------|--------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 64742-54-7 | distillates (petroleum), hydrotreated heavy paraffinic | | | 25 - < 100 % |
| | 265-157-1 | 649-467-00-8 | 01-2119484627-25 | |
| | Asp. Tox. 1; H304 | | | |
| 72623-87-1 | lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | | | 1 - < 2.5 % |
| | 276-738-4 | 649-483-00-5 | 01-2119474889-13 | |
| | Asp. Tox. 1; H304 | | | |
| 72623-86-0 | lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | | | 1 - < 2.5 % |
| | 276-737-9 | 649-482-00-X | 01-2119474878-16 | |
| | Asp. Tox. 1; H304 | | | |
| 36878-20-3 | bis(nonylphenyl)amine | | | 1 - < 2.5 % |
| | 253-249-4 | | 01-2119488911-28 | |
| | Aquatic Chronic 4; H413 | | | |
| 1190625-94-5 | C14-16-18 alkylphenol | | | 1 - < 2.5 % |
| | 931-468-2 | | 01-2119498288-19 | |
| | Skin Sens. 1B, STOT RE 2; H317 H373 | | | |
| 64742-65-0 | distillates (petroleum), solvent-dewaxed heavy paraffinic | | | 1 - < 2.5 % |
| | 265-169-7 | 649-474-00-6 | 01-2119471299-27 | |
| | Asp. Tox. 1; H304 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|--|--------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 64742-54-7 | 265-157-1 | distillates (petroleum), hydrotreated heavy paraffinic | 25 - < 100 % |
| | | dermal: LD50 = > 5000,0 mg/kg; oral: LD50 = > 5000,0 mg/kg | |
| 72623-87-1 | 276-738-4 | lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 1 - < 2.5 % |
| | | dermal: LD50 = > 2000,0 mg/kg; oral: LD50 = > 2000,0 mg/kg | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

Revision date:
14.02.2022

BIZOL Technology 5W-30 C3

Page 3 of 9

No information available.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO₂).**Unsuitable extinguishing media**

Full water jet.

5.2. Special hazards arising from the substance or mixtureHazardous decomposition products: Carbon monoxide Carbon dioxide (CO₂). Do not inhale explosion and combustion gases.**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Protective measures: see section 7 + 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up**Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Protective measures: see section 7 + 8.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Protect against: Frost. Keep away from heat. Protect from direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

Revision date:
14.02.2022

BIZOL Technology 5W-30 C3

Page 4 of 9

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|---|----------------|----------|------------------------|
| 64742-54-7 | distillates (petroleum), hydrotreated heavy paraffinic | | | |
| Consumer DNEL, long-term | | inhalation | local | 1,2 mg/m ³ |
| Worker DNEL, long-term | | inhalation | local | 5,4 |
| 36878-20-3 | bis(nonylphenyl)amine | | | |
| Worker DNEL, long-term | | dermal | systemic | 5 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | systemic | 4,37 mg/m ³ |
| Consumer DNEL, long-term | | oral | systemic | 0,25 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 2,5 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 1,09 mg/m ³ |
| Worker DNEL, acute | | dermal | systemic | 5 mg/kg bw/day |
| 1190625-94-5 | C14-16-18 alkylphenol | | | |
| Worker DNEL, long-term | | inhalation | systemic | 1,17 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 0,3 mg/kg bw/day |
| 64742-65-0 | distillates (petroleum), solvent-dewaxed heavy paraffinic | | | |
| Worker DNEL, long-term | | inhalation | local | 5,40 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 1,20 mg/m ³ |

PNEC values

| CAS No | Substance | Value |
|--|---|--------------|
| 64742-54-7 | distillates (petroleum), hydrotreated heavy paraffinic | |
| Secondary poisoning | | 9,33 mg/kg |
| 36878-20-3 | bis(nonylphenyl)amine | |
| Freshwater | | 0,412 mg/l |
| Freshwater (intermittent releases) | | 1 mg/l |
| Marine water | | 0,041 mg/l |
| Marine water (intermittent releases) | | 13200 mg/kg |
| Freshwater sediment | | 1 mg/kg |
| Marine sediment | | 0,1 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 1 mg/l |
| Soil | | 100 mg/kg |
| 1190625-94-5 | C14-16-18 alkylphenol | |
| Freshwater | | 0,1 mg/l |
| Marine water | | 0,01 mg/l |
| Freshwater sediment | | 4266 mg/kg |
| Marine sediment | | 422,6 mg/kg |
| Soil | | 852,58 mg/kg |
| 64742-65-0 | distillates (petroleum), solvent-dewaxed heavy paraffinic | |
| Secondary poisoning | | 9,33 mg/kg |

Additional advice on limit values

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift

Revision date:
14.02.2022

BIZOL Technology 5W-30 C3

Page 5 of 9

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

Z: A risk of reproductive effects cannot to be excluded if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

blood (B)

Urine (U)

8.2. Exposure controls

Appropriate engineering controls

See section 7. No additional measures necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection.

Hand protection

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: NBR (Nitrile rubber).

Breakthrough time: > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Skin protection

Protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (EN 149), e.g. FFA P / FFP3.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|----------------|
| Physical state: | Liquid |
| Colour: | light brown |
| Odour: | characteristic |

| | Test method |
|---|---|
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | not determined |
| Flammability | |
| Solid/liquid: | No data available |
| Lower explosion limits: | 0,4 vol. % |
| Upper explosion limits: | 7,0 vol. % |
| Flash point: | >= 220 °C EN ISO 2592 |
| Auto-ignition temperature: | not determined |
| Decomposition temperature: | No data available |
| pH-Value: | not applicable |
| Viscosity / kinematic: (at 40 °C) | 70 mm ² /s ASTM D 7042 |
| Water solubility: | insoluble |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: (at 20 °C) | < 0,1 hPa |
| Density (at 15 °C): | 0,85 g/cm ³ DIN EN ISO 12185 |
| Relative vapour density: | not determined |
| Particle characteristics: | not applicable |

9.2. Other information

Revision date:
14.02.2022

BIZOL Technology 5W-30 C3

Page 6 of 9

Other safety characteristics

Pour point: <= -36 °C ASTM D 7346
 Viscosity / dynamic: not determined
 Flow time: not determined
 No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|------------|--|---------------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 64742-54-7 | distillates (petroleum), hydrotreated heavy paraffinic | | | | |
| | oral | LD50 > 5000,0 mg/kg | Rat | | |
| | dermal | LD50 > 5000,0 mg/kg | Rabbit | | |
| 72623-87-1 | lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | | | | |
| | oral | LD50 > 2000,0 mg/kg | Rat | | |
| | dermal | LD50 > 2000,0 mg/kg | Rabbit | | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains C14-16-18 alkylphenol. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Revision date:
14.02.2022

BIZOL Technology 5W-30 C3

Page 7 of 9

Other information

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

12.2. Persistence and degradability

There are no data available on the mixture itself.

| CAS No | Chemical name | | | |
|------------|--|--------|----|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 72623-87-1 | lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | | | |
| | Biodegradation | 49,0 % | | |
| 36878-20-3 | bis(nonylphenyl)amine | | | |
| | OECD 301B | 1 % | 28 | ECHA |
| | Not readily biodegradable (according to OECD criteria) | | | |

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|--|---------|
| 72623-87-1 | lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | >4,00 |
| 36878-20-3 | bis(nonylphenyl)amine | 3,60 |

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

Revision date:

14.02.2022

BIZOL Technology 5W-30 C3

Page 8 of 9

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine pollutant:

NO

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

14.6. Special precautions for user

No data available

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

2010/75/EU (VOC):

0 %

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

ADR: Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

CAS: Chemical Abstracts Service (a division of the American Chemical Society)

DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

STEL (EC): Short Term Exposure Limit

ATE: Acute Toxicity Estimate

LD50: Lethal Dose, 50% (median lethal dose)

LC50: Lethal Concentration, 50% (median lethal concentration)

EC50: half maximal Effective Concentration

ErC50: EC50 in terms of reduction of growth rate

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

Revision date:
14.02.2022

BIZOL Technology 5W-30 C3

Page 9 of 9

Relevant H and EUH statements (number and full text)

| | |
|--------|--|
| H304 | May be fatal if swallowed and enters airways. |
| H317 | May cause an allergic skin reaction. |
| H373 | May cause damage to organs (liver) through prolonged or repeated exposure. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| EUH208 | Contains C14-16-18 alkylphenol. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

Further Information

Safety Data Sheet according to COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)